
## EXT RESCUE: 4011

Above all else, an extrication glove must be tough. Built to last through countless difficult missions, the EXT Rescue® 4011 is the strongest, most dependable rescue safety glove available. We armed this glove with our improved IR-X® Impact Exoskeleton™ and a full TP-X® palm for added durability and grip. We also double-stitched all exterior and interior seams and added a 2.5″ neoprene hook and loop closure on the cuff, so this glove fits as well as it lasts.

The EXT Rescue® 4011 is the HexArmor® commitment to the rugged vigilance of our first responders. HexArmor® knows that you will never give up, and neither should your glove.

### **Protection zones**





ANSI/ISEA 105-2024 PUNCTURE	4

ANSI/ISEA 105-2024 ABRASION	6
ANSI/ISEA 138-2019 IMPACT	2

-		
	ANSI/ISEA 105-2024 CONTACT HEAT	2

<b>(€</b> ⊕	EN 388: 2016	4X43FP

Attributes		
Style:	Mechanics	
Grip:	Wet or dry	
Cuff style:	Neoprene with hook and loop	
Sizes:	7/S through 11/XXL	

# Hex/Armor



### **Product features**

- SuperFabric®\* brand materials provide industry-leading cut resistance (interior layer)
- Back-of-hand IR-X® Impact Exoskeleton™ provides level 3 protection on knuckles and level 2 protection on fingers
- $\bullet$  Durable TP-X  $^{\circledcirc}$  palm with reinforced stitching pattern provides the ultimate dexterity and grip in wet/dry applications
- · Reinforced index finger and thumb saddle for increased longevity
- Abrasion resistant TP-X® between fingers for greater durability
- · Neoprene cuff with hook and loop closure for a secure fit
- · Hi-vis color on back-of-hand
- · Form-fitting, quality materials
- Launderable

#### Call 1.877.MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending