



Turn Out Gear Cleaner Specifications Sheet

Description

Turnout Gear Cleaner is designed to remove soot and grime from fire fighting gear.

Applications

Turnout Gear Cleaner may be used on all types of apparel used to fight fires.

Typical Physical Properties

Appearance..... Viscous Tan-Colored Liquid
Specific Gravity (Density)..... 1.08
pH..... 7.0 to 8.0
Freezing Point 32°F (0°C)
Minimum usable temperature 35°F (1.6°C)
Maximum usable temperature125°F (52°C)

Typical Performance Properties

Performance may vary based on level of contaminant. It is recommended to use 2.5 ounces of Turnout Gear Cleaner for normally contaminated articles. More product or multiple washings may be required to obtain desired level of cleanliness.

Storage and Handling

Turnout Gear Cleaner is best if stored in its original shipping container. This product can evaporate which increases when the product is exposed to air. The recommended storage environment is within the UL-listed temperature range of 35°F to 120°F (1.6°C to 49°C). The shelf life for Turnout Gear Cleaner is maximized by proper storage conditions and maintenance. If properly stored, the shelf life can reach 1 year.

For further details, see the Turnout Gear Cleaner Material Safety Data Sheet.

CONTAINER SHIPPING WEIGHT

5-Gallon Pails = 42 lbs.

Fire Hose Nozzles Direct
2730 Akron Road
Wooster, OH 44691
330-804-0040
www.firehosenozzlesdirect.com